

PLAN



NORTH WEST ELEVATION



SECTION AT A-A



SOUTH EAST ELEVATION



NORTH EAST ELEVATION

COPYRIGHT:
DEPARTMENT OF URBAN PLANNING
CHANDIGARH ADMINISTRATION

DISCLAIMER

THOUGH EVERY CARE HAS BEEN TAKEN TO PROVIDE THE CORRECT VERSION OF THE ARCHITECTURAL CONTROL ON THIS DIGITIZED (PDF) FORMAT, YET IN CASE OF ANY DISCREPANCY, THE MASTER COPY OF THE ARCHITECTURAL CONTROL APPLICABLE ON EACH SUCH SITE, AS AVAILABLE IN THE COMMERCIAL RECORD OF THE OFFICE OF CHIEF ARCHITECT OR HER/HIS INTERPRETATION WILL OVERRULE THE DIGITIZED FORMAT.

ATTESTED TRUE COPY

Sd:- A.S. MENDIRATTA
8.9.77
ASSTT. ARCHITECT

APPROVED BY THE CHIEF ADMINISTRATOR U.T. VIDE HIS MEMO No. 949-UTFI(2)-77/11852 DATED 13-7-77

Sd:- M.S. CHAHAL
CHIEF ADMINISTRATOR

DEPARTMENT OF ARCHITECTURE

S.No.	NOTES.
1.	THIS DRG. IS THE PROPERTY OF THE DEPTT. OF ARCHITECTURE U.T. CHANDIGARH FORMERLY OF THE PB. GOVT. AND MUST NOT BE ALTERED, COPIED OR USED IN WHOLE OR IN PARTS WITHOUT THE PERMISSION OF THIS DEPTT. IN WRITING.
2.	ONLY QUALIFIED ARCHITECTS ARE ALLOWED TO SUBMIT PLANS, SUPERVISE CONSTRUCTION AND ISSUE COMPLETION CERTIFICATES FOR THESE BLDGS.
3.	THIS DRG. IS TO BE READ TOGETHER WITH THE SITE PLAN (DRG. No. 37 JOB No. 28)
4.	PLINTH LEVEL SHALL BE OBTAINED BEFORE COMMENCEMENT OF CONSTRUCTION FROM THE OFFICE OF THE CHIEF ARCHITECT & SECY. DEPTT. OF ARCHITECTURE U.T. CHANDIGARH.
5.	NO ADVERTISEMENT SHALL BE ALLOWED IN SPACES OTHER THAN THE ONES STIPULATED ON THE DRG.
6.	NO RAIN WATER, SOIL, VENTILATING OR ANY OTHER PIPE SHALL BE SEEN ON THE EXTERNAL FACE OF THE BUILDING.
7.	NO WATER STORAGE TANK OR CHIMNEY ETC. OR ANY MATERIAL STACKED ON THE ROOF SHALL PROJECT BEYOND THE HEIGHT OF THE PARAPET OR PARTY WALL SO AS TO BE VISIBLE TO VIEW FROM THE STREET.
8.	NO DEVIATION IN THE EXTERNAL FACADE THROUGH VERANDAH SHALL BE ALLOWED.
9.	INTERNAL CHANGES MAY BE ALLOWED SUBJECT TO THE PRIOR APPROVAL OF THE CHIEF ADMINISTRATOR.
10.	THE MEANS OF TAKING ELECTRICAL, TELEPHONE OR ANY OTHER CONNECTIONS FROM PUBLIC SUPPLY LINES SHALL BE SHOWN ON THE BLDG. PLANS AND SHALL BE SUBJECT TO THE APPROVAL OF THE CHIEF ADMINISTRATOR.
11.	ELECTRICAL INSTALLATIONS OF LIGHT FITTING SHALL BE AS SHOWN IN THE DRG.
12.	EXPOSED BRICK WORK SHALL MEAN FAIR FACE BRICK WITHOUT PAINTS, COLOUR WASH OR POINTING.
13.	PLASTERED FACE WHEREVER SHOWN SHALL BE WHITE WASHED UNLESS OTHERWISE SPECIFIED ON THE DRAWING.
14.	EXTERNAL DOORS, WINDOWS, SHUTTERS AND JOINERY WORK IN STEEL OR IN WOOD AS SPECIFIED IN THE DRG. SHALL BE PAINTED IN GREY COLOUR OF I.S.I. SHADE No. 693 ONLY.
15.	THE PUBLIC VER. SHALL BE KEPT FREE OF ANY OBSTRUCTION.
16.	TYPICAL E.I. SCHEME SHOWN IN FEW BOOTHS ONLY.
17.	GREY TERRAZZO FLOORING AND DADO FINISH UPTO 6'-9" HEIGHT IN THE PUBLIC LAV.
18.	BASEMENT IN THESE BOOTHS NOT ALLOWED.
19.	NO SUB-DIVISION OF BOOTH IS ALLOWED.

REDRAWN FROM DRG. No. 5 OF JOB No. 409 ON 3.8.77.

NOTE:-
THIS DRAWING HAS BEEN COMPUTERISED ON 19-08-09 FROM DRG. No. 5 JOB No. 409

Sd:- ADITYA PARKASH CHIEF ARCHITECT	Sd:- H.S. CHOPRA SENIOR ARCHITECT
ARCHITECT	Sd:- PRAN NATH ASSTT. ARCHITECT

OFFICE OF
THE CHIEF ARCHITECT
CHANDIGARH.

SCALE :- 8FT. TO AN INCH.		DATE 22-12-76
DRAWN A.S. RATRA REDRAWN HARINDER KAUR	JOB No. 409	DRG. No. 5

BOOTHS IN
SECTOR 24 D (101 TO 133)

PLAN, ELEVATIONS AND SECTION